

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
10/15/2002	10/14/2002	30219	City of Corona	307 S Smith Ave, Corona, Orange County	SSO	8,000	An estimated 8,000 gallons of sewage overflowed from a manhole due to unspecified blockage. An unknown amount of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up and disinfected by City of Corona staff.
10/16/2002	10/16/2002	30428	City of Garden Grove	12872 Dale St, Garden Grove, Orange County	SSO	800	An estimated 800 gallons of sewage overflowed from a manhole due to grease blockage. All 800 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by City of Garden Grove staff.
10/17/2002	10/17/2002	30216	City of Anaheim	2880 West Ball Rd, Anaheim, Orange County	SSO	11,000	An estimated 11,000 gallons of sewage overflowed from a private lateral due to grease and debris blockage. Approximately 6,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up and disinfected by City of Anaheim staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
10/19/2002	10/19/2002	30437	City of Anaheim	2880 W. Fall Rd, Anaheim, Orange County	SSO	5,000	An estimated 5,000 gallons of sewage overflowed from a sewer line break. All 5,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The line was repaired and the affected area was cleaned up and disinfected by City of Anaheim staff.
10/22/2002	10/22/2002	30456	Private Property Owner	9021 Stacie Lane, Stanton, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to unknown blockage. All 1,000 gallons of the spill discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by private property owner.
10/25/2002	10/25/2002	31038	Private Property Owner	317 21st St, Huntington Beach, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 10 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Huntington Beach staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/1/2002	11/1/2002	32474	Private Property Owner	2300 E Lambert, La Habra, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a toilet due to debris blockage. All 1,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up and disinfected by private property owner.
11/5/2002	11/5/2002	31846	Private Property Owner	21372 Brookhurst, Huntington Beach	SSO	800	An estimated 800 gallons of sewage overflowed from a private property due to line blockage. Approximately 300 gallons of the spill were contained, recovered, and returned to operational sewer system. The blockage was cleared and the affected area was cleaned up by private property owner.
11/6/2002	11/6/2002	32441	Private Property Owner	751 S Harbor Blvd, Santa Ana, Orange County	SSO	800	An estimated 800 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 650 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up and disinfected by private property owner.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/7/2002	11/7/2002	31852	City of Orange	125 W Rose at Glassell, Orange, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from private lateral due to a line blocked with grease. Approximately 500 gallons of the spill were contained, recovered and returned to the operational sewer system, while the rest of the spill discharged into a nearby storm drain. The blockage was cleared and affected area was cleaned up by City of Orange staff.
11/8/2002	11/8/2002	32490	IRWD	2066 Newport Coast, Newport Beach, Orange County	TRW	27,000	An estimated 27,000 gallons of tertiary recycled water was released from an irrigation line break. All 27,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
11/10/2002	11/10/2002	32452	IRWD	San Manno & Adagio, Irvine, Orange County	TRW	48,000	An estimated 48,000 gallons of tertiary recycled water was released from an irrigation line break. All 48,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
11/10/2002	11/10/2002	32476	IRWD	Jamboree & Tustin Ranch, Tustin, Orange County	TRW	6,750	An estimated 6,750 gallons of tertiary recycled water was released from an irrigation line break. All 6,750 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/10/2002	11/10/2002	32451	IRWD	Yale & Rosemont, Irvine, Orange County	TRW	61,000	An estimated 61,000 gallons of tertiary recycled water was released from an irrigation line break. All 61,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
11/11/2002	11/11/2002	32455	IRWD	13 Atheton, Irvine, Orange County	TRW	5,400	An estimated 5,400 gallons of tertiary recycled water was released from an irrigation line break. All 5,400 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
11/11/2002	11/11/2002	32473	Yorba Linda Water District	5520 Club House, Yorba Linda, Orange County	SSO	750	An estimated 750 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 250 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up and disinfected by YLWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/11/2002	11/11/2002	32475	ETWD	22961 Triton Ct, Laguna Hills, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to debris blockage. Approximately 100 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by ETWD.
11/13/2002	11/13/2002	32370	Private Property Owner	3642 Katella, Los Alamitos, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a private lateral due to grease blockage. All 500 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by the private property owner.
11/15/2002	11/14/2002	31022	Rubidoux Community Services District	4036 Briggs St, Rubidoux, Riverside County	SSO	3,000	An estimated 3,000 gallons of sewage overflowed from a manhole due to grease blockage. An unspecified amount of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by Rubidoux Community Services District.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/15/2002	11/15/2002	31994	Private Property Owner-Burger King	101 Main St., Huntington Beach, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from private lateral due to grease blockage. The blockage was cleared and the affected area was cleaned up by the Private Property Owner and permanent W.Q. advisory signs were posted at the location.
11/18/2002	11/18/2002	32449	IRWD	Harvard/Peso, Irvine, Orange County	TRW	13,995	An estimated 13,995 gallons of tertiary recycled water was released from an irrigation line break. All 13,995 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
11/19/2002	11/19/2002	32011	Costa Mesa Sanitation District	16th and Newport Blvd, Costa Mesa, Orange County	SSO	531	An estimated 531 gallons of sewage overflowed from a manhole due to grease and debris blockage. All 531 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by Costa Mesa Sanitation District staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
11/22/2002	11/22/2002	32570	Lake Hemet Municipal Water District	Yale at Florida, Hemet, Riverside County	SSO	500	An estimated 500 gallons of sewage overflowed from a lateral due to an unspecified blockage. All of the spill was contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by Lake Hemet Municipal Water District staff.
11/27/2002	11/27/2002	32371	City of Buena Park	8424 Whitaker, Buena Park, Orange County	SSO	600	An estimated 600 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 400 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up and disinfected by City of Buena Park staff.
11/30/2002	11/30/2002	32450	IRWD	Michaelson/Yale, Irvine, Orange County	TRW	15,000	An estimated 15,000 gallons of tertiary recycled water was released due to an irrigation line break. All 15,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/2/2002	12/2/2002	32444	City of Orange	1217 W Maple, Orange, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to root blockage. Approximately 100 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Orange staff.
12/11/2002	12/11/2002	32350	Private Property Owner	12147 Seal Beach Blvd, Seal Beach, Orange County	SSO	900	An estimated 900 gallons of sewage overflowed from a private lateral due to grease blockage. All 900 gallons of the spill discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by private property owner.
12/13/2002	12/13/2002	32481	IRWD	Avalon & Pelican, Newport Beach, Orange County	TRW	13,500	An estimated 13,500 gallons of tertiary recycled water was released from an irrigation line break. All 13,500 gallons of the spill discharged into a local storm drain. The line was repaired and the affected area was cleaned up by IRWD.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/14/2002	12/14/2002	32479	City of Colton	Vivian & Terrace, Grand Terrace, San Bernardino County	SSO	5,000	An estimated 5,000 gallons of sewage overflowed from a manhole due to collapse of sewer line. All 5,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The line was repaired and the affected area was cleaned up and disinfected by City of Colton staff.
12/15/2002	12/15/2003	32445	IRWD	Pelican/Avalon TR Lot 1, Irvine, Orange County	TRW	1,500	An estimated 1,500 gallons of tertiary recycled water was released from an irrigation line break. All 1,500 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
12/16/2002	12/16/2002	32448	IRWD	30 Pelican, Irvine, Orange County	TRW	18,000	An estimated 18,000 gallons of tertiary recycled water was released from an irrigation line break. All 18,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
12/17/2002	12/17/2002	32430	City of Santa Ana	17th St & Tustin Ave, Santa Ana, Orange	SSO	2,200	An estimated 2,200 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 1,100 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by City of Santa Ana staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/18/2002	12/18/2002	32471	Jurupa Community Services District	5791 Pedley Rd, Mira Loma, Riverside County	SSO	8,000	An estimated 8,000 gallons of sewage overflowed from a manhole due to debris blockage. All 8,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by JCSD staff.
12/19/2002	12/19/2002	32291	City of Anaheim	401 Sycamore St, Anaheim, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 40 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The affected area was cleaned up by City of Anaheim staff.
12/19/2002	12/19/2002	32478	Moulton Niguel Water District	29201 La Paz Rd, Laguna Hills, Orange County	TRW	37,500	An estimated 37,500 gallons of tertiary recycled water was released from an irrigation line break. All 37,500 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by MNWD.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/20/2002	12/20/2002	32457	Private Property Owner	Sand Canyon & Burt, Irvine, Orange County	SSO	2,265	An estimated 2,265 gallons of sewage overflowed from a private lateral due to root blockage. Approximately 1,625 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up and disinfected by private property owner.
12/20/2002	12/20/2002	32492	City of Corona Del Mar	524 Cameo Highlands Dr, Corona Del Mar, Orange County	SSO	750	An estimated 750 gallons of sewage overflowed from a manhole due to root blockage. Approximately 200 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. OCHCA closed the ocean water at Morning Canyon Beach in Corona del Mar to swimming and diving due to this sewage spill. The blockage was cleared and the affected area was cleaned up by City of Corona Del Mar staff.
12/21/2002	12/21/2002	32453	IRWD	Bonita Canyon Dr, Irvine, Orange County	TRW	4,500	An estimated 4,500 gallons of tertiary recycled water was released from an irrigation line break. All 4,500 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/21/2002	12/21/2002	32454	IRWD	47 Bridgeport, Irvine, Orange County	TRW	5,150	An estimated 5,150 gallons of tertiary recycled water was released from an irrigation line break. All 5,150 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
12/23/2002	12/23/2002	32491	City of Newport Beach	1515 Bayadere Dr, Newport Beach, Orange County	SSO	600	An estimated 600 gallons of sewage overflowed from a manhole due to root blockage. Approximately 100 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain and to Newport Bay. OCHCA has closed the Newport Bay water area of the Bahia Corinthian Yacht Club Marina to swimming and diving due to this sewage spill. The blockage was cleared and the affected area was cleaned up by City of Newport Beach staff.
12/26/2002	12/26/2002	32470	City of Riverside	2625 Fourteenth St, Riverside, Riverside County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 400 gallons of the spill were contained and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Riverside staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/27/2002	12/27/2002	32456	IRWD	Alton Pkwy & Laguna Cyn Rd, Irvine, Orange County	TRW	4,000	An estimated 4,000 gallons of tertiary recycled water was released from an irrigation line break. All 4,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
12/27/2002	12/27/2002	32482	Private Property Owner	Andimiamo, Newport Beach, Orange County	TRW	1,365	An estimated 1,365 gallons of tertiary recycled water was released from an irrigation line break. All 1,365 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by private property owner.
12/29/2002	12/29/2002	32446	Private Property Owner	Canada & Serrano Creek, Irvine, Orange County	TRW	69,000	An estimated 69,000 gallons of tertiary recycled water was released from an irrigation line break. All 69,000 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by private property owner.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
12/29/2002	12/29/2002	32480	City of Santa Ana	1st & Bristol, Santa Ana, Orange	SSO	600	An estimated 600 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 300 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Santa Ana staff.
12/30/2002	12/28/2002	32330	City of Anaheim	200 N Gilbert St, Anaheim, Orange County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to a forcemain break. All 500 gallons of the spill were contained, recovered, and returned to the operational sewer system. Repairs were made and the affected area was cleaned up by City of Anaheim staff.
1/2/2003	1/2/2003	32472	OCSD	Greenbriar & Ridgeway, Cowan Heights, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to unknown causes. All 1,000 gallons of the spill were contained and returned to the operational sewer system. The affected area was cleaned up by OCSD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/4/2003	1/4/2003	33033	IRWD	Peter's Canyon, N of Walnut, Irvine, Orange County	TRW	1.8M	An estimated 1.8 million gallons of tertiary recycled water was released from a broken fire hydrant. All 1.8 million gallons of the spill discharged into a nearby storm drain. The hydrant was repaired and the affected area was cleaned up by IRWD staff.
1/4/2003	1/4/2003	33070	IRWD	7 Hubble, Irvine, Orange County	TRW	2,700	An estimated 2,700 gallons of tertiary recycled water was released from an irrigation line break. All 2,700 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
1/4/2003	1/4/2003	33050	IRWD	Main & Mercantile, Irvine, Orange County	TRW	3,600	An estimated 3,600 gallons of tertiary recycled water was released from an irrigation line break. All 3,600 gallons of the spill discharged into a nearby storm drain. The line was repaired and the affected area was cleaned up by IRWD staff.
1/5/2003	1/5/2003	33030	Private Property Owner	2318 N Tustin, Orange, Orange County	SSO	600	An estimated 600 gallons of sewage overflowed from a private lateral due to grease blockage. An estimated 300 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by private property owner.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/11/2003	1/11/2003	32731	City of Beaumont	Cougar Way & Palm Ave, Beaumont, Riverside County	SSO	6,000	An estimated 6,000 gallons of sewage overflowed from a manhole due to vandalism. An unspecified amount of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Beaumont staff.
1/12/2003	1/12/2003	32730	El Toro Water District	23382 Kaminito Luisto, Laguna Hills, Orange County	SSO	1,500	An estimated 1,500 gallons of sewage overflowed from a manhole due to root blockage. All 1,500 gallons of the spill discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by ETWD staff.
1/14/2003	1/13/2003	32732	City of Ontario	1720 East D St, Ontario, San Bernardino County	SSO	36,000	An estimated 36,000 gallons of sewage overflowed from a manhole due to lift station failure. An estimated 34,500 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The lift station was repaired and the affected area was cleaned up and disinfected by City of Ontario staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/16/2003	1/16/2003	33331	IEUA	Upland Hills Wastewater Reclamation Plant, Chino, Riverside County	TRW	2,850	An estimated 2,850 gallons of chlorine disinfected effluent was released from a reclamation plant. All 2,850 gallons of the spill were contained, recovered and returned to the IEUA headworks plant. The affected area was cleaned up by IEUA staff.
1/23/2003	1/20/2003	33350	RWQCP	4414 Eleventh St, Riverside, Riverside County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 350 gallons of the spill were contained and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Riverside staff.
1/23/2003	1/23/2003	33310	OCSD	18841 Fairhaven Ave, La Habra, Orange County	SSO	1,324	An estimated 1,324 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 152 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by OCSD staff.

SANTA ANA REGIONAL WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/25/2003	1/25/2003	33311	OCSD	1045 Court St, Stanton, Orange County	SSO	2,000	An estimated 2,000 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 1,500 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by OCSD staff.
1/27/2003	1/27/2003	33330	City of Riverside	2005 Linden Ave, Riverside, Riverside County	SSO	4,000	An estimated 4,000 gallons of sewage overflowed from a manhole due to grease blockage. All 4,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by City of Riverside staff.